



Bayer Environmental Science

FICAM W

Version 1
Revision Date 07.01.2003

GB
102000002338

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**Product information**

Trade name : FICAM W
 Product code : AE B052020 00 WP80 A3
 Product code : CR16851
 Specification : 20965
 Usage : insecticide
 Company : Bayer Environmental Science
 Durkan House
 214-224 High Street
 Waltham Cross
 Hertfordshire EN8 7DP
 United Kingdom
 Telephone : +44(0)1992 784270
 Telefax : +44(0)1992 784276
 Emergency telephone number : 0800-220876 (UK only)
 +44(0)1223-870312

2. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Wettable powder (WP), contains:
Bendiocarb 80%

Hazardous components

Chemical Name	CAS-No.	Symbol(s):	R-phrases)	Concentration [%]
Bendiocarb (iso)	22781-23-3	T, N	R21 R23/25 R50/53	80.00
Sodium alkynaphthalene sulfonate		Xi	R36/38	> 1.00 - < 5.00
Alkylated naphthalene sulfonate, formaldehyde polymer, sodium salt		Xi	R36/38	> 1.00 - < 5.00
Silica, amorphe	7631-86-9			> 5.00 - < 25.00

3. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Toxic by inhalation and if swallowed.
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**FICAM W**

Version 1
Revision Date 07.01.2003

GB
102000002338

4. FIRST AID MEASURES

- General advice : Remove contaminated, soaked clothing immediately and dispose of safely.
- Inhalation : Move the patient to fresh air and keep at rest. Seek medical advice immediately.
- Skin contact : Wash off immediately with soap and plenty of water. Seek medical advice immediately.
- Eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- Ingestion : Induce vomiting if patient is fully conscious, time since ingestion is less than 30 minutes and medical aid is not readily available (Vomit should not get into the respiratory tract). Wash out mouth with water. Seek URGENT medical advice.

Notes to physician

- Symptoms : Local:, May cause skin and eye irritation.
- Symptoms : Systemic:, headache, sweating, lachrymation, salivation, flushing, dizziness, nausea, vomiting, diarrhoea, Abdominal pains, discomfort in the chest, lowered blood pressure, bradycardia/tachycardia, blurred vision, muscle twitching, convulsions, breathing difficulties
- Risks : This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.
- Treatment : Local treatment:
Initial treatment should be symptomatic and supportive.
- Treatment : Systemic treatment:
Endotracheal intubation should be done and gastric lavage performed, followed by administration of charcoal.
Artificial respiration and/or oxygen may be necessary.
Against convulsions: Give diazepam: for adults 5-10 mg intravenously as necessary until fully sedated; for children 2.5 mg i.v.
Treatment for adults: for all cases a high dose of Atropine (2 to 4 mg) repeated every 10 to 15 minutes as needed.
Contraindications: oximes (pralidoxime, oblidoxime), succinyl choline, aminophylline
Contraindications: derivatives of morphine
Recovery: Spontaneous.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : water spray jet
carbon dioxide (CO₂)
dry powder



FICAM W

Version 1
Revision Date 07.01.2003

GB
102000002338

	foam
Extinguishing media which must not be used for safety reasons	: high volume water jet
Specific hazards during fire fighting	: In case of fire the evolution of dangerous gases is possible.
Special protective equipment for fire-fighters	: In the event of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus for fire fighting if necessary.
Further information	: Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by bunding area with sand or earth.

6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.
Environmental precautions	: Keep people and animals away. Do not discharge into the drains/surface water/groundwater. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
Methods for cleaning up	: Vacuum up spilled product Transfer collected material to heavy duty plastic drums and keep safe for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations
Additional advice	: Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13. Check also for any local site procedures.

7. HANDLING AND STORAGE	
Handling	
Advice on safe handling	: No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid dust formation. Provide good ventilation of working area (local exhaust

**FICAM W**

Version 1
Revision Date 07.01.2003

GB
102000002338

ventilation if necessary).

Advice on protection against fire and explosion : The product is combustible.
Dust can form an explosive mixture with air.

Storage

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.
Store in a place accessible by authorized persons only.

Further information on storage conditions : Protect against heat and direct sunlight
Protect against moisture.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Storage temperature : 0 - 30 °C

Suitable materials : Keep in original packaging, tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to COSHH assessment (Control of substances Hazardous to Health Regulations 1999 as amended). Engineering controls should be used in preference to personal protective equipment wherever practicable.

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Silica, amorphe	7631-86-9	2.4 mg/m ³ (TWA)	2001	EH40 OES
		6 mg/m ³ (TWA)	2001	EH40 OES

Additional advice : OES for bendiocarb 0.2 mg/m³ (WHO)

Personal protective equipment

Respiratory protection : Dust mask

Hand protection : Chemical resistant gloves
PVC gloves
nitrile gloves

Eye protection : Chemical resistant goggles must be worn.

Skin and body protection : Light protective clothing, PVC
PVC boots

Hygiene measures : When using, do not eat, drink or smoke.
Remove soiled clothing immediately.
Remove soaked clothing immediately.
Clean hands and face at work intervals and after work.
Work in an adequately ventilated room.



Bayer Environmental Science

FICAM W

Version 1
Revision Date 07.01.2003

GB
102000002338

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form : Powder
Colour : off-white

Safety data

Minimum ignition energy : 30 - 100 mJ
Lower explosion limit : 30 g/m³
Dust explosion class : St 2
Bulk density : 0.25 kg/m³
Water solubility : Note: Miscible
Partition coefficient (n-octanol/water) : log Pow: 1.7
at: 25 °C Note: The value mentioned relates to the active ingredient Bendiocarb.
Other information : Combustible solid product.

10. STABILITY AND REACTIVITY

Conditions to avoid : Note: Extremes of temperature and direct sunlight.
Materials to avoid : None
Hazardous reactions : No hazardous reactions when stored and handled according to prescribed instructions.
Note: Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 (rat) 141 mg/kg
Acute inhalation toxicity : LC50 (rat) 0.55 mg/l
Exposure time: 4 h
Test substance: The value mentioned relates to the active ingredient Bendiocarb.
Acute dermal toxicity : LD50 (rat) > 2,000 mg/kg
Skin irritation : rabbit
Result: No skin irritation
Eye irritation : rabbit
Result: No eye irritation



Bayer Environmental Science

FICAM WVersion 1
Revision Date 07.01.2003GB
10200002338Sensitization : Maximisation Test (GPMT) guinea pig
Result: non-sensitizing**12. ECOLOGICAL INFORMATION****Elimination information (persistence and degradability)**Bioaccumulation : Bluegill sunfish
Bioconcentration factor (BCF): 64.8
Test substance: The value mentioned relates to the active ingredient Bendiocarb.**Ecotoxicity effects**Toxicity to fish : LC50: 0.87 mg/l
Rainbow trout
Exposure time: 96 hToxicity to fish : LC50: 2.2 mg/l
Lepomis macrochirus (Bluegill sunfish)
Exposure time: 96 hToxicity to daphnia : EC50: 3.7 mg/l
Water flea (Daphnia magna)
Exposure time: 48 h
Test substance: The value mentioned relates to the active ingredient Bendiocarb.Toxicity to algae : 1.71 mg/l
Selenastrum capricornutum
Exposure time: 72 h
Test substance: The value mentioned relates to the active ingredient Bendiocarb.Toxicity to other organisms : LD50: 3.1 mg/kg
Mallard duck
Test substance: The value mentioned relates to the active ingredient Bendiocarb.Toxicity to other organisms : LD50: 19 mg/kg
Bobwhite quail
Test substance: The value mentioned relates to the active ingredient Bendiocarb.**13. DISPOSAL CONSIDERATIONS**Product : In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority
Can be landfilled or incinerated, when in compliance with local regulations.

**FICAM W**

Version 1
Revision Date 07.01.2003

GB
102000002338

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste.
Empty containers can be landfilled, when in compliance with the Environmental Protection (Duty of Care) Regulations 1991.

14. TRANSPORT INFORMATION

ADR/RID	: UN-No	2757
	Class	6.1
	Packaging group	III
	Hazard no.	60
	Description of the goods	2757 CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB)
ADNR	: UN-No	2757
	Class	6.1
	Item	73
	Letter	c
	Description of the goods	2757 Carbamate pesticide, solid, toxic (BENDIOCARB)
IMDG	: UN-No	2757
	Class	6.1
	Packaging group	III
	EmS	6.1-04
	Marine pollutant	P
	Description of the goods	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB 80%)
IATA	: UN-No	2757
	Class	6.1
	Packaging group	III
	Description of the goods	Carbamate pesticide, solid, toxic (BENDIOCARB 80%)
CDG CPL	: UN-No	2757
	Class	6.1
	Packaging group	III
	Hazard identification number	60
	Emergency action code	2X
	Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB)

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3.



FICAM W

Version 1
Revision Date 07.01.2003

GB
102000002338

Hazardous components which must be listed on the label:

- Bendiocarb (iso)

Exceptional labelling of special preparations : Restricted to professional users.
To avoid risks to man and the environment, comply with the instructions for use.

Symbol(s): : T Toxic
N Dangerous for the environment

R-phrase(s) : R23/25 Toxic by inhalation and if swallowed.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s) : S35 This material and its container must be disposed of in a safe way.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S57 Use appropriate containment to avoid environmental contamination.

16. OTHER INFORMATION

Further information

Text of R phrases mentioned in Section 2:

- R21 Harmful in contact with skin.
R23/25 Toxic by inhalation and if swallowed.
R36/38 Irritating to eyes and skin.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.



FICAM W

Version 1

Revision Date 07.01.2003

GB

10200002338

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version will be highlighted in the margin. This version replaces all previous versions.